

# Kerrison

## Технические характеристики

### По вопросам продаж и поддержки обращайтесь:


|                             |                                 |                                |                           |
|-----------------------------|---------------------------------|--------------------------------|---------------------------|
| Алматы (7273)495-231        | Казань (843)206-01-48           | Новокузнецк (3843)20-46-81     | Смоленск (4812)29-41-54   |
| Архангельск (8182)63-90-72  | Калининград (4012)72-03-81      | Новосибирск (383)227-86-73     | Сочи (862)225-72-31       |
| Астрахань (8512)99-46-04    | Калуга (4842)92-23-67           | Омск (3812)21-46-40            | Ставрополь (8652)20-65-13 |
| Барнаул (3852)73-04-60      | Кемерово (3842)65-04-62         | Орел (4862)44-53-42            | Сургут (3462)77-98-35     |
| Белгород (4722)40-23-64     | Киров (8332)68-02-04            | Оренбург (3532)37-68-04        | Тверь (4822)63-31-35      |
| Брянск (4832)59-03-52       | Краснодар (861)203-40-90        | Пенза (8412)22-31-16           | Томск (3822)98-41-53      |
| Владивосток (423)249-28-31  | Красноярск (391)204-63-61       | Пермь (342)205-81-47           | Тула (4872)74-02-29       |
| Волгоград (844)278-03-48    | Курск (4712)77-13-04            | Ростов-на-Дону (863)308-18-15  | Тюмень (3452)66-21-18     |
| Вологда (8172)26-41-59      | Липецк (4742)52-20-81           | Рязань (4912)46-61-64          | Ульяновск (8422)24-23-59  |
| Воронеж (473)204-51-73      | Магнитогорск (3519)55-03-13     | Самара (846)206-03-16          | Уфа (347)229-48-12        |
| Екатеринбург (343)384-55-89 | Москва (495)268-04-70           | Санкт-Петербург (812)309-46-40 | Хабаровск (4212)92-98-04  |
| Иваново (4932)77-34-06      | Мурманск (8152)59-64-93         | Саратов (845)249-38-78         | Челябинск (351)202-03-61  |
| Ижевск (3412)26-03-58       | Набережные Челны (8552)20-53-41 | Севастополь (8692)22-31-93     | Череповец (8202)49-02-64  |
| Иркутск (395)279-98-46      | Нижний Новгород (831)429-08-12  | Симферополь (3652)67-13-56     | Ярославль (4852)69-52-93  |
| Россия (495)268-04-70       | Киргизия (996)312-96-26-47      | Казахстан (7172)727-132        |                           |

# Orthopedics/Spine

## Kerrison Bone Punches

### SYPERT Kerrison Bone Punch

| Catalog Number | Jaw Size (mm) | Tip    | Working Length (in.) |
|----------------|---------------|--------|----------------------|
| FG055R         | 5.5           | 40° UP | 9 3/4                |



Three Primary Styles

- Non Detachable, silver
- Detachable, silver
- Detachable, ceramic NOIR coating

For more information see our brochure DOC400.

Complete Size and Footplate Range

- Regular and thin footplates
- 7", 8", 9", 11" lengths
- 1-6 mm bite sizes
- 15 mm Laminectomy jaw length
- 40° and 90° up and down jaw positions



STANDARD

| Working Length (in.) | Jaw Size (mm) | Footplate | Non Detachable, Silver | Ejector | Detachable, Silver | Ejector | Detachable, NOIR Coating | Ejector |
|----------------------|---------------|-----------|------------------------|---------|--------------------|---------|--------------------------|---------|
| 7                    | 1.0           | STANDARD  | FF715R                 | -       | FK900R             | -       | FK900B                   | -       |
| 7                    | 1.5           | STANDARD  | FF638R                 | -       | FK911R             | -       | FK911B                   | -       |
| 7                    | 2.0           | STANDARD  | FF717R                 | -       | FK901R             | ✓       | FK901B                   | ✓       |
| 7                    | 2.5           | STANDARD  | FF639R                 | -       | FK912R             | ✓       | FK912B                   | ✓       |
| 7                    | 3.0           | STANDARD  | FF720R                 | -       | FK902R             | ✓       | FK902B                   | ✓       |
| 7                    | 4.0           | STANDARD  | FF724R                 | -       | FK903R             | ✓       | FK903B                   | ✓       |
| 7                    | 5.0           | STANDARD  | FF722R                 | -       | FK904R             | ✓       | FK904B                   | ✓       |
| 7                    | 6.0           | STANDARD  | FF726R                 | -       | FK905R             | ✓       | FK905B                   | ✓       |

|       |     |          |        |   |        |   |        |   |
|-------|-----|----------|--------|---|--------|---|--------|---|
| 7 7/8 | 1.0 | STANDARD | FF691R | - | FK960R | - | FK960B | - |
| 7 7/8 | 1.5 | STANDARD | FF649R | - | FK966R | - | FK966B | - |
| 7 7/8 | 2.0 | STANDARD | FF737R | - | FK913R | ✓ | FK913B | ✓ |
| 7 7/8 | 2.5 | STANDARD | FF657R | - | FK967R | ✓ | FK967B | ✓ |
| 7 7/8 | 3.0 | STANDARD | FF738R | - | FK914R | ✓ | FK914B | ✓ |
| 7 7/8 | 4.0 | STANDARD | FF727R | - | FK915R | ✓ | FK915B | ✓ |
| 7 7/8 | 5.0 | STANDARD | FF728R | - | FK916R | ✓ | FK916B | ✓ |
| 7 7/8 | 6.0 | STANDARD | FF729R | - | FK917R | ✓ | FK917B | ✓ |

|   |     |          |        |   |        |   |        |   |
|---|-----|----------|--------|---|--------|---|--------|---|
| 9 | 1.0 | STANDARD | FF674R | - | FK918R | - | FK918B | - |
| 9 | 2.0 | STANDARD | FF682R | - | FK919R | ✓ | FK919B | ✓ |
| 9 | 3.0 | STANDARD | FF683R | - | FK920R | ✓ | FK920B | ✓ |
| 9 | 4.0 | STANDARD | FF684R | - | FK921R | ✓ | FK921B | ✓ |
| 9 | 5.0 | STANDARD | FF685R | - | FK922R | ✓ | FK922B | ✓ |

|    |     |          |        |   |        |   |        |   |
|----|-----|----------|--------|---|--------|---|--------|---|
| 11 | 1.0 | STANDARD | FF696R | - | FK981R | - | FK981B | - |
| 11 | 2.0 | STANDARD | FF686R | - | FK986R | ✓ | FK986B | ✓ |
| 11 | 3.0 | STANDARD | FF687R | - | FK987R | ✓ | FK987B | ✓ |
| 11 | 4.0 | STANDARD | FF688R | - | FK988R | ✓ | FK988B | ✓ |
| 11 | 5.0 | STANDARD | FF689R | - | FK989R | ✓ | FK989B | ✓ |
| 11 | 6.0 | STANDARD | FF690R | - | -      | - | -      | - |



# Orthopedics/Spine

## Kerrison Bone Punches



40° UP



40° UP



40° UP

THIN

| Working Length (in.) | Jaw Size (mm) | Footplate | Non Detachable, Silver | Ejector | Detachable, Silver | Ejector | Detachable, NOIR Coating | Ejector |
|----------------------|---------------|-----------|------------------------|---------|--------------------|---------|--------------------------|---------|
| 7                    | 1.0           | THIN      | FF771R                 | -       | FK906R             | -       | FK906B                   | -       |
| 7                    | 1.5           | THIN      | FF645R                 | -       | FK923R             | -       | FK923B                   | -       |
| 7                    | 2.0           | THIN      | FF772R                 | -       | FK907R             | ✓       | FK907B                   | ✓       |
| 7                    | 2.5           | THIN      | FF646R                 | -       | FK924R             | ✓       | FK924B                   | ✓       |
| 7                    | 3.0           | THIN      | FF773R                 | -       | FK908R             | ✓       | FK908B                   | ✓       |
| 7                    | 4.0           | THIN      | FF769R                 | -       | FK909R             | ✓       | FK909B                   | ✓       |
| 7                    | 5.0           | THIN      | FF770R                 | -       | FK910R             | ✓       | FK910B                   | ✓       |

|       |     |      |        |   |        |   |        |   |
|-------|-----|------|--------|---|--------|---|--------|---|
| 7 7/8 | 1.0 | THIN | FF661R | - | FK961R | - | FK961B | - |
| 7 7/8 | 1.5 | THIN | FF658R | - | FK968R | - | FK968B | - |
| 7 7/8 | 2.0 | THIN | FF662R | - | FK962R | ✓ | FK962B | ✓ |
| 7 7/8 | 2.5 | THIN | FF659R | - | FK969R | ✓ | FK969B | ✓ |
| 7 7/8 | 3.0 | THIN | FF663R | - | FK963R | ✓ | FK963B | ✓ |
| 7 7/8 | 4.0 | THIN | FF664R | - | FK964R | ✓ | FK964B | ✓ |
| 7 7/8 | 5.0 | THIN | FF665R | - | FK965R | ✓ | FK965B | ✓ |

|   |     |      |        |   |        |   |        |   |
|---|-----|------|--------|---|--------|---|--------|---|
| 9 | 1.0 | THIN | FF734R | - | FK929R | - | FK929B | - |
| 9 | 2.0 | THIN | FF746R | - | FK925R | ✓ | FK925B | ✓ |
| 9 | 3.0 | THIN | FF747R | - | FK926R | ✓ | FK926B | ✓ |
| 9 | 4.0 | THIN | FF748R | - | FK927R | ✓ | FK927B | ✓ |
| 9 | 5.0 | THIN | FF749R | - | FK928R | ✓ | FK928B | ✓ |

|    |     |      |        |   |        |   |        |   |
|----|-----|------|--------|---|--------|---|--------|---|
| 11 | 1.0 | THIN | FF673R | - | FK980R | - | FK980B | - |
| 11 | 2.0 | THIN | FF666R | - | FK976R | ✓ | FK976B | ✓ |
| 11 | 3.0 | THIN | FF667R | - | FK977R | ✓ | FK977B | ✓ |
| 11 | 4.0 | THIN | FF668R | - | FK978R | ✓ | FK978B | ✓ |
| 11 | 5.0 | THIN | FF669R | - | FK979R | ✓ | FK979B | ✓ |



MILLIMETERS

# Orthopedics/Spine

## Kerrison Bone Punches, Laminectomy



40° UP



40° UP



40° UP

STANDARD

| Working Length (in.) | Jaw Size (mm) | Jaw Opening (mm) | Footplate | Non Detachable, Silver | Ejector | Detachable, Silver | Ejector | Detachable, NOIR Coating | Ejector |
|----------------------|---------------|------------------|-----------|------------------------|---------|--------------------|---------|--------------------------|---------|
| 7                    | 2.0           | 15               | STANDARD  | FF677R                 | -       | FK971R             | ✓       | FK971B                   | ✓       |
| 7                    | 3.0           | 15               | STANDARD  | FF678R                 | -       | FK972R             | ✓       | FK972B                   | ✓       |
| 7                    | 4.0           | 15               | STANDARD  | FF679R                 | -       | FK973R             | ✓       | FK973B                   | ✓       |
| 7                    | 5.0           | 15               | STANDARD  | FF680R                 | -       | FK974R             | ✓       | FK974B                   | ✓       |
| 7                    | 6.0           | 15               | STANDARD  | -                      | -       | FK975R             | ✓       | FK975B                   | ✓       |

|       |     |    |          |        |   |        |   |        |   |
|-------|-----|----|----------|--------|---|--------|---|--------|---|
| 7 7/8 | 2.0 | 15 | STANDARD | FF660R | - | FK970R | ✓ | FK970B | ✓ |
| 7 7/8 | 3.0 | 15 | STANDARD | FF739R | - | FK982R | ✓ | FK982B | ✓ |
| 7 7/8 | 4.0 | 15 | STANDARD | FF745R | - | FK983R | ✓ | FK983B | ✓ |
| 7 7/8 | 5.0 | 15 | STANDARD | FF751R | - | FK984R | ✓ | FK984B | ✓ |
| 7 7/8 | 6.0 | 15 | STANDARD | FF753R | - | FK985R | ✓ | FK985B | ✓ |



90° UP

STANDARD

| Working Length (in.) | Jaw Size (mm) | Jaw Opening (mm) | Non Detachable, Silver | Ejector |
|----------------------|---------------|------------------|------------------------|---------|
| 7                    | 3             | 15               | FF136R                 | -       |
| 7                    | 4             | 15               | FF137R                 | -       |
| 7                    | 5             | 15               | FF138R                 | -       |

|   |   |    |        |   |
|---|---|----|--------|---|
| 8 | 3 | 15 | FF086R | - |
| 8 | 4 | 15 | FF087R | - |
| 8 | 5 | 15 | FF088R | - |



# Orthopedics/Spine

## Kerrison Bone Punches



40° DOWN



STANDARD

40° DOWN

| Working Length (in.) | Jaw Size (mm) | Footplate | Non Detachable, Silver | Ejector | Detachable, Silver | Ejector |
|----------------------|---------------|-----------|------------------------|---------|--------------------|---------|
| 7                    | 1.0           | STANDARD  | FF711R                 | -       | FK930R             | -       |
| 7                    | 2.0           | STANDARD  | FF712R                 | -       | FK931R             | ✓       |
| 7                    | 3.0           | STANDARD  | FF713R                 | -       | FK932R             | ✓       |
| 7                    | 4.0           | STANDARD  | FF714R                 | -       | FK933R             | ✓       |
| 7                    | 5.0           | STANDARD  | FF725R                 | -       | FK934R             | ✓       |

|   |     |          |        |   |        |   |
|---|-----|----------|--------|---|--------|---|
| 9 | 2.0 | STANDARD | FF692R | - | FK943R | ✓ |
| 9 | 3.0 | STANDARD | FF693R | - | FK944R | ✓ |
| 9 | 4.0 | STANDARD | FF694R | - | FK945R | ✓ |
| 9 | 5.0 | STANDARD | FF695R | - | FK946R | ✓ |



40° DOWN



STANDARD

40° DOWN

| Working Length (in.) | jaw Size (mm) | Footplate | Non Detachable, Silver | Ejector | Detachable, Silver | Ejector |
|----------------------|---------------|-----------|------------------------|---------|--------------------|---------|
| 7                    | 1.0           | THIN      | FF781R                 | -       | FK936R             | -       |
| 7                    | 2.0           | THIN      | FF782R                 | -       | FK937R             | ✓       |
| 7                    | 3.0           | THIN      | FF783R                 | -       | FK938R             | ✓       |
| 7                    | 4.0           | THIN      | FF784R                 | -       | FK939R             | ✓       |
| 7                    | 5.0           | THIN      | FF785R                 | -       | FK940R             | ✓       |





| Working Length (in.) | Jaw Size (mm) | Footplate | Non Detachable, Silver | Ejector | Detachable, Silver | Ejector | Detachable NOIR Coating | Ejector |
|----------------------|---------------|-----------|------------------------|---------|--------------------|---------|-------------------------|---------|
| 7                    | 1.0           | STANDARD  | FF716R                 | -       | FK948R             | -       | FK948B                  | -       |
| 7                    | 2.0           | STANDARD  | FF718R                 | -       | FK949R             | -       | FK949B                  | ✓       |
| 7                    | 3.0           | STANDARD  | FF750R                 | -       | FK950R             | ✓       | FK950B                  | ✓       |
| 7                    | 4.0           | STANDARD  | FF752R                 | -       | FK951R             | ✓       | FK951B                  | ✓       |
| 7                    | 5.0           | STANDARD  | FF754R                 | -       | FK952R             | ✓       | FK952B                  | ✓       |
| 7                    | 6.0           | STANDARD  | FF755R                 | -       | FK953R             | ✓       | FK953B                  | ✓       |

|   |     |          |        |   |
|---|-----|----------|--------|---|
| 8 | 1.0 | STANDARD | FF025R | - |
| 8 | 2.0 | STANDARD | FF026R | - |
| 8 | 3.0 | STANDARD | FF027R | - |
| 8 | 4.0 | STANDARD | FF028R | - |
| 8 | 5.0 | STANDARD | FF029R | - |



| Working Length (in.) | Jaw Size (mm) | Footplate | Non Detachable, Silver | Ejector |
|----------------------|---------------|-----------|------------------------|---------|
| 7                    | 1             | THIN      | FF115R                 | -       |
| 7                    | 2             | THIN      | FF116R                 | -       |
| 7                    | 3             | THIN      | FF117R                 | -       |
| 7                    | 4             | THIN      | FF118R                 | -       |
| 7                    | 5             | THIN      | FF119R                 | -       |

|   |   |      |        |   |
|---|---|------|--------|---|
| 8 | 2 | THIN | FF077R | - |
| 8 | 3 | THIN | FF078R | - |
| 8 | 4 | THIN | FF079R | - |
| 8 | 5 | THIN | FF080R | - |



# Orthopedics/Spine

## Kerrison Bone Punches



90° DOWN



90° DOWN

STANDARD

| Working Length (in.) | Jaw Size (mm) | Footplate | Non Detachable, Silver | Ejector | Detachable, Silver | Ejector |
|----------------------|---------------|-----------|------------------------|---------|--------------------|---------|
| 7                    | 1.0           | STANDARD  | FF741R                 | -       | FK954R             | -       |
| 7                    | 2.0           | STANDARD  | FF719R                 | -       | FK955R             | -       |
| 7                    | 3.0           | STANDARD  | FF721R                 | -       | FK956R             | ✓       |
| 7                    | 4.0           | STANDARD  | FF742R                 | -       | FK957R             | ✓       |
| 7                    | 5.0           | STANDARD  | FF723R                 | -       | FK958R             | ✓       |
| 7                    | 6.0           | STANDARD  | FF743R                 | -       |                    |         |

|   |   |          |        |   |
|---|---|----------|--------|---|
| 8 | 2 | STANDARD | FF828R | - |
| 8 | 3 | STANDARD | FF829R | - |
| 8 | 4 | STANDARD | FF830R | - |
| 8 | 5 | STANDARD | FF831R | - |
| 8 | 6 | STANDARD | FF841R | - |



THIN

90° DOWN

| Working Length (in.) | Jaw Size (mm) | Footplate | Non Detachable, Silver | Ejector |
|----------------------|---------------|-----------|------------------------|---------|
| 7                    | 1.0           | THIN      | MF136R                 | -       |
| 7                    | 2.0           | THIN      | FF816R                 | -       |
| 7                    | 3.0           | THIN      | FF817R                 | -       |
| 7                    | 4.0           | THIN      | FF819R                 | -       |
| 7                    | 5.0           | THIN      | FF821R                 | -       |

|   |     |      |        |   |
|---|-----|------|--------|---|
| 8 | 1.0 | THIN | FF809R | - |
| 8 | 2.0 | THIN | FF812R | - |
| 8 | 3.0 | THIN | FF813R | - |
| 8 | 5.0 | THIN | FF815R | - |





**По вопросам продаж и поддержки обращайтесь:**

|                             |                                 |                                |                           |
|-----------------------------|---------------------------------|--------------------------------|---------------------------|
| Алматы (7273)495-231        | Казань (843)206-01-48           | Новокузнецк (3843)20-46-81     | Смоленск (4812)29-41-54   |
| Архангельск (8182)63-90-72  | Калининград (4012)72-03-81      | Новосибирск (383)227-86-73     | Сочи (862)225-72-31       |
| Астрахань (8512)99-46-04    | Калуга (4842)92-23-67           | Омск (3812)21-46-40            | Ставрополь (8652)20-65-13 |
| Барнаул (3852)73-04-60      | Кемерово (3842)65-04-62         | Орел (4862)44-53-42            | Сургут (3462)77-98-35     |
| Белгород (4722)40-23-64     | Киров (8332)68-02-04            | Оренбург (3532)37-68-04        | Тверь (4822)63-31-35      |
| Брянск (4832)59-03-52       | Краснодар (861)203-40-90        | Пенза (8412)22-31-16           | Томск (3822)98-41-53      |
| Владивосток (423)249-28-31  | Красноярск (391)204-63-61       | Пермь (342)205-81-47           | Тула (4872)74-02-29       |
| Волгоград (844)278-03-48    | Курск (4712)77-13-04            | Ростов-на-Дону (863)308-18-15  | Тюмень (3452)66-21-18     |
| Вологда (8172)26-41-59      | Липецк (4742)52-20-81           | Рязань (4912)46-61-64          | Ульяновск (8422)24-23-59  |
| Воронеж (473)204-51-73      | Магнитогорск (3519)55-03-13     | Самара (846)206-03-16          | Уфа (347)229-48-12        |
| Екатеринбург (343)384-55-89 | Москва (495)268-04-70           | Санкт-Петербург (812)309-46-40 | Хабаровск (4212)92-98-04  |
| Иваново (4932)77-34-06      | Мурманск (8152)59-64-93         | Саратов (845)249-38-78         | Челябинск (351)202-03-61  |
| Ижевск (3412)26-03-58       | Набережные Челны (8552)20-53-41 | Севастополь (8692)22-31-93     | Череповец (8202)49-02-64  |
| Иркутск (395)279-98-46      | Нижний Новгород (831)429-08-12  | Симферополь (3652)67-13-56     | Ярославль (4852)69-52-93  |
| Россия (495)268-04-70       | Киргизия (996)312-96-26-47      | Казахстан (7172)727-132        |                           |